


**High Power
Durability
Digital Communication**



Cordless Vacuum Cleaner
VC001GL / VC003GL Wet & Dry
VC002GL / VC004GL Airborne particles
VC005GL Dry (for building maintenance industry)



Accessories

Filter for water set

Model: VC001GL, VC003GL
Part No. 191V67-2



Damper set

Model: VC002GL, VC004GL
Part No. 191V68-0



Pre filter set

Model: VC002GL, VC004GL
Part No. 191V69-8



Powder filter H set

Model: VC002GL, VC004GL
Part No. 191V70-3



Cloth filter set

Model: VC001GL, VC003GL,
VC002GL, VC004GL
Part No. 144625-1



Model: VC005GL
Part No. 191V71-1

Poly bag set (10pcs)

Part No. 195432-5



Filter bag set 15L (5pcs)

Part No. 195557-5



MAKPAC adapter set

Part No. 198730-6 / 198599-8 (EU)



Charging Time

40V Li-ion max	Fast Charging	
	DC40RA	DC40RC
BL4020 2.0Ah	22 min	30 min
BL4025 2.5Ah	28 min	38 min
*1BL4040 4.0Ah	45 min	67 min
*1BL4050F 5.0Ah	50 min	85 min
*1BL4080F 8.0Ah	76 min	170 min

*1 Recommended battery

Cordless Vacuum Cleaner VC001GL / VC002GL / VC003GL / VC004GL / VC005GL

	VC001GL	VC002GL	VC003GL	VC004GL	VC005GL
Variable Speed	Capacity Dust / Water: 8 / 6 L				
Revolving Hose	Max Air Flow 3.2 m ³ /min				
Static Free Hose	Max Sealed Suction 23 kPa				
	Continuous Use (min.) w/ BL4050F at Dial 1 / 5: 220 / 28				
	Vibration Level 2.5 m/s ² or less				
	Sound Pressure Level 70 dB(A) or less				
	Dimensions (L x W x H) 366 x 334 x 425 mm				
	Net weight 8.1 - 11.2 kg (17.9 - 24.7 lbs.)				

Standard Equipment : ALL: Floor Nozzle, Straight Pipe, Bent Pipe, Hose, Plastic Dust Bag, Stopper, Multi Hook, Battery, Charger

VC001GL / VC003GL: Plastic Dust Bag x10, Telescopic pipe assembly, Long Sash Nozzle

VC002GL / VC004GL: Plastic Dust Bag x10, Front Cuff (country-specific)

VC005GL: Paper Dust Bag, Telescopic pipe assembly, Long Sash Nozzle

The weight does not include accessories but battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table.

Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202201



Low noise
46 dB(A)
Dial mode: 1
Model: VC001GL

For Cleaning

Wet & Dry



VC001GL
8L

VC003GL
15L



For Dust Collecting

Airborne particles



VC002GL
8L

VC004GL
15L



For Cleaning

Dry (for building maintenance industry)



VC005GL
8L



Excellent Vacuum performance equivalent to Corded models achieved by improving cooling efficiency against more heat generation from electrical parts due to the increased output power.



photo: VC003GL



photo: VC002GL



photo: VC005GL

Powered by 40Vmax XGT Li-Ion battery (two in parallel)

photo: VC001GL



Continuous use
Battery: BL4050F x2

220min
Dial mode: 1

28min
Dial mode: 5



Automatically switches to the second battery when the first battery runs out.

For Cleaning

Wet & Dry



VC001GL
8L



VC003GL
15L



For Dust Collecting

Airborne particles



VC002GL
8L



VC004GL
15L



For Cleaning

Dry (for building maintenance industry)



VC005GL
8L




Telescopic pipe with lock
VC001GL / VC003GL / VC005GL
(country-specific)

- A locking mechanism has been added to the connection of bending pipe and this pipe to prevent from falling off.
- Available in lightweight plastic and rigid aluminum




The lower profile makes it easier to clean under furnitures.
VC001GL / VC003GL / VC005GL
(country-specific)

48 mm



Mode switching lever
VC001GL / VC003GL / VC005GL
(country-specific)

Hard floor/carpet mode switchable



AWS Auto-start Wireless System
VC002GL / VC004GL

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



New 8L tank VC005GL

- Compact tank reduces the overall height of the cleaner.
- Rear wheels attached to the tank have been increased in size to reduce the risk of the machine from tipping over and to enhance the stability of straight running.

